

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No. : 09/918,445 Confirmation No. 1757
 Applicant : Ricci, et al.
 Filed : August 1, 2001
 TC/A.U. : 1714
 Examiner : Yoon
 Docket No. : 1065.34.1
 Customer No.: 27353

For: Time Release Calcium Sulfate Matrix for Bone Augmentation

Office of Initial Patent Examination
 Commissioner for Patents
 P.O. Box 1450
 Alexandria, VA 22313-1450

REQUEST FOR CORRECTED FILING RECEIPT

Sir:

Applicant has received the Filing Receipt of the above-referenced patent application dated September 10, 2004, which states that the Domestic Priority data provided by the Applicant is not consistent with PTO records.

Applicant has carefully reviewed the priority data and confirmed that the priority data as claimed by the Applicant is correct and consistent with the issued parent patent, attached herewith.

Certificate of Transmission

I hereby certify that, on the date shown below, this correspondence is being facsimile transmitted to the Commissioner of Patents, Office of Initial Patent Examination's Filing Receipt Corrections, at Fax No. (703) 746-9195.

Marcia Penggs
 Typed or printed name of person signing certificate

Signature Marcia Penggs

Date 9/24/04

Furthermore, the priority data claimed by Applicant is also consistent with Patent Office's records which are posted on Public PAIR, attached herewith.

Therefore, Applicant respectfully requests a corrected Filing Receipt reflecting the above.

9/23/2004

Date of Signature

By: 

Yi Li

Registration No. 44,211
Agent of the Applicant

Address correspondence to:

Customer No. 27353